

Tender Fee: Rs.2000/- (GST inclusive)
(Non-Refundable)

विश्वेश्वरय्या राष्ट्रीय प्रौद्योगिकी संस्थान, नागपुर - 440010 (भारत)

VISVESVARAYA NATIONAL INSTITUTE OF TECHNOLOGY,
NAGPUR - 440 010 (INDIA)



TENDER DOCUMENT FOR
Gas Chromatograph & Nitrogen Gas Generator

TENDER NO. VNIT/STR/LT/CH/SH/SSU/198 , Date: 22/02/2019

DATE OF ISSUE OF TENDER : Friday, 22nd February 2019 at 9.30 A.M.
LAST DATE OF SUBMISSION OF TENDER : Friday, 15th March 2019 upto 3.00 P.M.
DATE OF OPENING OF TENDER : Friday, 15th March 2019 upto 3.30 P.M.

EMD AMOUNT: Rs.37,500

INVITATION of QUOTATION/TENDER for
GAS CHROMATOGRAPH & NITROGEN GAS GENERATOR

Sub: Tender Enquiry for Procurement of **Gas Chromatograph & Nitrogen Gas Generator** for Department of Chemistry.

Dear Vendor,

You are invited to submit your most competitive quotation for the procurement of equipment "**Gas Chromatograph & Nitrogen Gas Generator**" in sealed envelope for Department of Physics. Interested bidders are requested to submit the most competitive bid / quotation, details below:-

Description of the Goods / Equipment	Specifications	Unit / Quantity	Delivery Period & Place of Delivery	Price	Earnest Money Deposit (EMD) Amount in Rs	Installation
Please refer enclosed "QFA/Bill of Material" for complete details	As per QFA/Bill of Material	As per QFA/Bill of Material	6 Weeks from the Date of award of PO / Contract Department of Physics VNIT, Nagpur.	F.O.R. VNIT, Nagpur/ Nagpur Airport.	Rs. 37,500=00 Thirty Seven Thousand Five Hundred only) in form of DD /BG Drawn on any of Nationalized Bank drawn in favour of the Director, VNIT, Nagpur [To be enclosed with the quotation in separate envelope]	Good(s)/Equipment(s) to be / installed / commissioned at place of Delivery by the bidder at Free of Cost.

Schedule & Instructions for Tender/Bid Submission

ITEM: Procurement of "**Gas Chromatograph & Nitrogen Gas Generator**" for Department of Chemistry.

Date of Issue	:	Friday, 22nd Feb 2019 at 9.30 A.M.
Last Date of Submission	:	Friday, 15th March 2019 Upto 3.00 P.M.
Tender Opening Date & Time	:	Friday, 15th March 2019 Upto 3.30 P.M.
Amount of EMD	:	Rs.37,500/- payable through DD/FDR/BG drawn in favour of Director, VNIT, Nagpur.

SUBMISSION OF BID

"TWO BID" viz. **Technical /Qualifying Bid** and **Price/Commercial Bid** Systems will be followed for this tender.

The Technical bid and the Financial bid should be sealed **in separate covers both duly super-scribed** and both these sealed covers are to be put **in a bigger cover** which should also be sealed and **duly super-scribed** with above mentioned item.

For Technical /Qualifying Bid - Envelope to be super-scribed with above mentioned item, and should be submitted with prescribed Tender Fee & EMD and the associated supporting documents. Bill of material (without any price), indicating the compliance of technical specification should also be included with the qualifying bid. The Tender Fee & EMD, DD to be put in separate envelope.

For Price/Commercial Bid - Envelope to be super-scribed with "**PRICE/COMMERCIAL BID** for "**Name of Equipment and Reference No.**". The Price should be indicated in the prescribed format in the Price/Commercial Bid only. Any other format will lead to disqualification.

Both above sealed covers are to be put **in a bigger envelope** which should also be sealed and **duly super-scribed** with Tender Enquiry for "**Name of Equipment and Reference No.**" for Department of Chemistry

The sealed envelope super-scribed with - Tender Enquiry for **Gas Chromatograph & Nitrogen Gas Generator** of Department of Physics to be sent to **Joint Registrar (Stores), VNIT, South Ambazari Road, Nagpur 440 010.** Sealed envelope can also be submitted in person in the "**Tender / Quotation Box**" kept in The Stores Section. VNIT, Nagpur. The last date of submission is **Friday, 15th March 2019 by 3.00 P.M.**

Tender received after the last date / time of submission (as mentioned in tender notice) will not be considered and will lead to rejection.

Each envelope / cover should also indicate clearly the name and address of the bidder.

General Instructions, Terms & Conditions for the Bidder / Vendor

1. Price Bid

- a) The price should be quoted **FOR VNIT, Nagpur / Nagpur Airport** on delivery basis.
- b) The price/rates quoted by the bidder shall be FIRM & FIXED and shall not be variable/subject to adjustment on any account.
- c) The price bid shall be valid for a period of 180 days from the date of opening.
- d) The duties, taxes and other levies payable by the vendor shall be shown separately in bidding document. The basic price per unit should be separately mentioned in price bid in the given format.
- e) Duties & taxes viz. Custom, GST, Freight / Transportation, Packing & Forwarding, Insurance, Price Ex-Works etc. shall be indicated separately in the given format only.
- f) **The bidder is requested for special educational discount to the Institute.**
- g) The contract shall be for the full quantity as described in QFA/Bill of Material. Correction if any shall be made out by crossing out, initialling, dating and re-writing.
- h) In case of price quoted in foreign currency, its conversion rate to INR on the date of opening the quotation/tender shall be considered.

2. Technical Bid

- a) The good/s offered must meet / comply with the Technical Specifications detailed in "**Technical/Qualifying Bid**" given in tender. In case of deviation if any, the firm's bid is liable to be treated as non – responsive.
- b) VNIT has the sole discretion to accept or reject tenders / bids based on deviations, if any, from the technical specification.
- c) The price bids of the bidders who **do not conform** to the Technical Specifications & Eligibility Criteria given in Technical/Qualifying Bid will not be opened. The EMD of such bidder/s will be returned in due course.

3. Bid Evaluation

The Purchaser will evaluate and compare the bids determined to be substantially responsive i.e. which;

- a) Are properly signed, and
- b) Conform to the general terms and conditions, special conditions, and technical specifications.

4. Each Bidder shall submit only one bid. VNIT Ref. No. and item name must be mentioned on envelope / cover containing the quotation.
5. Bidder shall submit Firm's registration certificate, GST registration certificate, PAN, Delivery Period, Warranty/Guarantee, others etc with the bid.
6. Bidder shall furnish the information in the prescribed format of Technical and Price Bid only (as applicable). Any other format will lead to disqualification. Each and every document submitted with Technical and Price Bid should be duly signed/attested & stamped. **Incomplete or Conditional Bid(s) will not be accepted.**
7. **Earnest Money Deposit (EMD):** Bidder shall submit EMD in form of Demand Draft / Fixed Deposit Receipt / Bank Guarantee in favor of "**Director, VNIT Nagpur**" payable at Nagpur. The EMD to be submitted strictly in a separate envelope superscribed with Vendor / Firm's name & address & also on back side of DD with stamp. **Bid received without EMD will be summarily rejected.**
8. **EMD Exemption:** Exemption is applicable to MSE Firms engaged in Manufacture/ Production of goods or providing of any service or services, as per MSMED Act,27/2006 Chapter-1 2(e), subject to furnishing of relevant valid certificate (indicating terminal validity date of their registration) for the item tendered. Selling Agent/ Authorized Distributors/ Dealers/ Suppliers are not eligible for exemption in tendered items.
9. **Specification and Make:** Bid should be given for the exact specification and make as shown in the tender enquiry against Sr. No. of the item / good. The bid which is not as per our tender enquiry will be treated as non responsive. **Product Catalogue/Technical Specification shall be separately attached** for each make wherever necessary. Price for each make be separately mentioned in price bid.

10. **Product Catalogue:** Information brochures/Product catalogue, if any must be accompanied with the quotation clearly indicating the model quoted for.
11. **Client List:** Bidder shall furnish information of Client list along with the order copy of similar good/s / equipment supplied to any IIT/NITs/ any Govt. Organization including details of price & all other charges / duties with the bid.
12. **ISI Certification:** Where ISI certification marked goods / items are available in market, procurement should generally be limited to goods with those or equivalent marking only.
13. **Authorization Certificate:** Sole selling agent/ Authorized distributors/ Dealers/ Suppliers are eligible to bid on behalf of Original Equipment Manufacturers (OEM) provided they submit requisite authorization and self certification from the (OEM). The bidder should enclose the latest authorization certificate from the (OEM).
14. **Taxes:** GST or any other taxes as per Govt. norms shall be applicable from time to time. The % of Tax must be indicated separately in the bid.
15. **Goods for Research Purpose: Concessional GST @ 5% will be applicable for purchase of goods viz Scientific & Technical instruments and other required for the Research purposes only.** This is in accordance of Govt. of India, Ministry of Finance Notification 45/2017-Central Tax (Rate) dated 14th November, 2017 and VNIT Circular Ref.- VNIT/Acct/2017-18-GST/5390 dated 27th November, 2017. The description of goods is given in Govt of India notification dated 14th November, 2017 mentioned above. A certificate in this respect will be issued to the vender by the Institute.
16. **Taxes (For Import Item)** - Govt of India Ministry of Science & Technology, DSIR, New Delhi vide letter No TU/V/RG-CDE (190)/2016 dated 20.02.2018 has issued Certificate of Registration to VNIT, Nagpur for purposes of availing customs duty exemption in terms of Govt. Notification 51/96-Customs dated 23rd July, 1996 and this registration is valid up to 31.08.2021.VNIT is eligible to avail partially exemption for Customs Duty. Necessary documentation / exemption certificate for the same will be provided by the Institute wherever applicable. The supplier who has quoted the price in Rupees, but importing the items from the foreign country has to sign the High Sea Sale Agreement. Against High Sea Sales Agreement GST is not applicable; Custom Duty is applicable under Notification No 51/96. The charges towards HSS agreement, if any, will have to be borne by the firm.
17. **Valid Period of Quotation/offer:** The bidder should clearly mention the valid period of quotation/offer in the bid. The quotation/offer shall be normally valid for a period of **180 days** from the date of opening the tender.
18. **Rate Contract:** If the Good/s under enquiry is mentioned under the Govt of India, DGS&D rate contract, Vendor shall supply the good/s at DGS&D contract rate as VNIT Nagpur is Government of India's Institute of National Importance under the Ministry of HRD.
19. **Installation:** Goods / Equipments shall be delivered / installed at concerned laboratory / department of VNIT by the Bidder at free of cost.
20. **Service centre:** Vendor shall provide the details of Service Centre in Nagpur or other region with name of contact person, their contact nos. & address.
21. **Payment (Indigenous Item):** Institute will release the full & final (100%) payment after delivery of items and its successful installation/ demonstration at concerned department / laboratories of VNIT Nagpur. The vendor will be required to submit the bills in triplicate along with delivery memo. Payment will be made through Crossed Cheque / ECS / NEFT / RTGS. For electronic payment mode, Firm / Company bank details on letter head will be required.
22. **Payment (Import Item):** In case of import good/s, the payment term shall be 100% through irrevocable Letter of Credit/Telegraphic Transfer, the 90% will be released against dispatch of original documents and items/goods received at the Nagpur Airport and the balance 10% will be released after delivery and successful installation of the goods at VNIT, Nagpur. Letter of Credit amendment charges will be borne by the beneficiary.
23. Vendor shall furnish price & other information in the prescribed Price Bid format. Each document submitted with quotation should be duly attested & stamped by the vendor, failing which submitted quotation will be treated as **Non-Responsive**. Incorrect, Incomplete or Conditional Quotation(s) will not be accepted and will be treated as **Non-Responsive**.

24. If any document of tender /quotation enquiry, certificate etc. submitted by the vendor is observed to be incorrect / false / forged / having ambiguity, intentionally or un-intentionally at any stage, the tender/quotation submitted by the vendor is liable to be treated **Disqualified/Non-Responsive**. Further the Institute reserves the right to initiate any action as deemed fit in such case against the vendor including the action of blacklisting of firm.
25. Incomplete or conditional quotation/bid shall be summarily rejected.
26. **Educational Discount:** VNIT, Nagpur is a Govt. of India's Institute of National Importance engaged in education & research of National & International repute, the Vendors shall give / offer the special educational discount on quoted rates.
27. The vendor shall take full responsibility in case of any damage, loss or injury to any person / building or to any part thereof, and shall repair / and make good the loss, at his own cost.
28. Statement of Annual turnover/Balance sheet of last 3 financial years must be enclosed.
29. Copies of purchase/ work orders executed by the vendor in the last 3 financial years must be enclosed with the bid.
30. **Guarantee or Warrantee & Delivery of Goods**
- a) **Guarantee/Warranty:** Normal comprehensive **Warranty/ Guarantee of 3 years** shall be applicable to the supplied goods. In case any part or whole of the equipment is found to be defective during the guarantee period, then the same will have to be replaced/repaired free of cost at our premises. The Vendor should guarantee that the goods/items and its accessories supplied are complete in every respect and confirm to the technical specification mentioned in the Bill of Material
- b) **Performance Guarantee:** A performance guarantee of 10% of the total invoice value for goods/items costing 10 Lacs & above, and valid for three year covering the entire warranty period will be required from the vendor executing the purchase order. In case of violation of any of the conditions of guarantee / warranty (for Three years), the aforesaid performance guarantee shall be invoked by VNIT.
- c) **Delivery of Goods:**
- i) Vendor shall deliver/supply the goods within **6 weeks** period.
- ii) Goods shall be supplied / delivered by the bidder at the installation site in concerned laboratory/department of VNIT Nagpur at free of cost on working days. Vendor shall strictly be adhered to above, failing which **Liquidated Damages Clause** will be applicable.
- iii) Goods should be securely, safely and adequately packed and dispatched at the risk of supplier. Purchase order Ref. No. & date must be mentioned/should be kept in all packing's.
- iv) Bidder shall deliver the goods in concerned laboratory/department perfectly before 4.00 pm on working day/s. Delivery of goods will not be accepted on Saturday, Sunday and Institute Holiday.
31. **Liquidated Damages Clause:**
- a) The Director, V.N.I.T. Nagpur reserves the right to recover from the vendor, liquidated damages a sum equivalent to $\frac{1}{2}$ percent of the price of the undelivered stores at the stipulated rate for each week or part thereof, during which the delivery of such stores may be delayed subject to, a maximum limit in the case of an order exceeding Rs. One Lakh in value, upto **10** percent and in the case of an order not exceeding Rs. One Lakh in value upto **5** percent of the stipulated price, of the stores so undelivered.
- b) To purchase elsewhere, on vendor's accounts, at his risk, the stores etc. undelivered, or other of a similar description, where others exactly employing with the particulars, are in the opinion of the Director, Visvesvaraya National Institute of Technology, Nagpur are not readily procurable, without cancelling the contract, in respect of consignment not yet due for delivery.
- c) If the Supplier fails to deliver the material/goods within the stipulated delivery period, then Amount of EMD given by the Vendor shall be forfeited.

- d) To cancel the contract.

In the event of action being taken under (b) or (c) above, the vendor shall be liable to make good for any loss, which the Institute may sustain, by reason of higher price of items/goods, so purchased or the otherwise, howsoever:

The decision of the Director, Visvesvaraya National Institute of Technology, Nagpur shall be final as regards to the acceptability of stores supplied by the seller and the Director, Visvesvaraya National Institute of Technology, Nagpur, shall not be required to give any reason in writing or otherwise at any time for the rejection of stores.

32. Award of Purchase Order / Work Contract

- a) Notwithstanding the above, the Purchaser reserves the right to accept or reject any bid and to cancel the bidding process and reject all bids at any time prior to the award of contract.
- b) The Purchaser will issue the **Purchase Order / Work Contract** to the vendor / bidder whose bid has been determined to be substantially responsive and who has offered the lowest evaluated bid price. The terms of the accepted offer shall be mentioned in the purchase order.
- c) On receiving of order by vendor, the vendor shall deliver / supply / install the good/s at free of cost up to installation site of concerned department of VNIT, Nagpur, failing which cost of delivery / installation will be deducted from the Vendors bill payment.
- d) After receiving of the Purchase Order / award of contract, it will be Vendor's obligation / responsibility to supply or delivery of the good/s as per specifications within specified time schedule/delivery period.
- e) Expression of vendor's inability for the supply or delivery of good/s as per specifications will lead to cancellation of PO and EMD (as submitted) will be forfeited. Further Institute may also disqualify / debar the Vendor from participating in any of its future enquiries for a period as recommended by institute authorities.

33. Post Delivery / Installation Warranty & Support:

- a) The Vendor should mention details of their service support infrastructure by which minimum downtime will be ensured in case of any break down.
- b) The Vendor shall submit Service Centres / Factory name of contact official / Address & contact nos for service support/ facilities.
- c) The Vendor will have to give undertaking that in case of any breakdown / damages during warranty period, the goods / equipment will be restored back to its original status within **12 Hours** (This may include replacing some spares also).

34. Any corrigendum / amendment regarding this tender enquiry will be issued on institute website only. [\[www.vnit.ac.in/stores\]](http://www.vnit.ac.in/stores)

35. Bidder shall not be permitted to withdraw or modify the bids after the Last date of submission.

36. Director, VNIT, Nagpur reserves the right to increase/decrease the quantity of goods at any stage.

37. Director, VNIT, Nagpur reserves the right to accept or reject or cancel any or all enquires or bids/PO at any stage without assigning any reason thereof.

38. For any disputes, the place of jurisdiction shall be Nagpur, Maharashtra (India) only.

39. It will be presumed that the vendor has read carefully all the above mentioned instructions, terms & conditions and abide by same.

40. All Communication are to be addressed to –

Director

Visvesvaraya National Institute of Technology,
South Ambazari Road,
Nagpur 440 010
Maharashtra (India)

41. We look forward to receiving your bids and thank you for your interest in this project.

Sd/-
Dean (P & D)
VNIT, Nagpur

**TECHNICAL/
QUALIFYING BID**

Technical Specifications and Eligibility Criteria

[A] Technical Specifications

QUOTATION FORMAT ANNEXURE (QFA)

TENDER NO. VNIT/STR/LT/SH/SSU/198 Date: 20/02/2019

S.N	Name of Item & Specifications	Qty.
1.	<p>GAS CHROMATOGRAPH WITH DUAL INJECTOR AND DUAL FID DETECTORS</p> <p>Make: Agilent Technologies/Thermo Fisher Scientific/Chromatec/Shimadzu</p> <p>Type: Microprocessor based advanced flow technology and high speed Gas Chromatography system with FID detectors, having high sensitivity with minimum two injection ports, dual FID detectors and facility for auto injector, and sample tray having electronic pneumatic controllers with headspace sampling of the following specifications. It should have capability to further extend the applications scope allowing multidimensional GC, capillary back flush, and other specialized flow applications. System must have facility to load cooling method by pushing on/off switch to avoid instrument change.</p> <p>Column Oven</p> <ul style="list-style-type: none"> • Capable of isothermal and temperature programming • Oven temperature control from ambient to 450 °C; temperature accuracy of 0.01 °C • Set point Resolution 0.1 °C, Very fast cool down time from 450°C to ambient, preferably less than 6 min., ambient rejection of < 0.01°C/°C; • Number of oven ramps: more than 15; • Negative ramps should be allowed; • Maximum run time, events time: Unlimited • 'Rest time' for column oven should be available; • Possible to control from the built-in keyboard and via and external computer based control system as well with customized display unit <p>Oven Power Safety</p> <ul style="list-style-type: none"> • Automatic oven power turn off when the lid/door is opened • Automatic carrier gas shut off <p>Split/Split less inlet(SSI)</p> <ul style="list-style-type: none"> • Operating modes: split, splitless • Temp max~450 °C, should have electronic pressure control, Gas saver mode, inlet leak check <p>Electronic Pneumatic Control (EPC)</p> <ul style="list-style-type: none"> • Compensation for barometric pressure & ambient temperature • Pressure set points should be adjustable in increments of 0.001psi. • Pressure or flow ramps: 3 or more • Carrier and makeup gas settings selectable for He, H₂, N₂ and Argon • Safety feature of automatic gas shutoff when the flame goes <p>Sample Injection ports – minimum 2</p> <ul style="list-style-type: none"> • Electronically controlled EPC Split/splitless capillary column injection • Temperature range- up to 400 °C • Pressure Range: 0 to 680 kPa (100 psi) • Pressure programming facility • Constant flow, constant pressure and constant velocity facility 	01 No.

- Number of pressure or flow ramps: 3 or more
- Split ratio range: 0 to 7500 or more
- Maximum flow Rate: 0 – 1250mL/min for H₂ & 0 – 200mL/min for N₂
- Built in turn top inlet sealing system for quick and easy injector liner change

Flame Ionization Detector (FID) – 2 nos.

- Temperature range: Upto 450 °C.
- Linear Dynamic range: > 10⁷
- Minimum Detection Limit : < 2 pgC/s (std like Dodecane, Tridecane)
- Quartz FID nozzle
- Flameout detection & automatic flame ignition/reignition..
- Data acquisition rate should be up to 500Hz to accommodate narrow peaks

Catalytic Carrier Purifier with heating control (optional)

- Operating temperature 400 deg °C

Auto injector and Sampler

- Software controlled auto liquid injector with sampler for minimum 16-18 vials (sample)
- Simple design and simple installation on GC inlet
- 2 syringe washing modes, 4 injection modes and other parameters for flexible operating mode to optimize workflow
- Should have top washing mode for elongated lifetime of 10 µL syringe especially for “ hard” samples
- Should have Intuitive interface and voluntary setting capabilities which allow developing flexible sequences in vials order and operating conditions.
- Should have the following specifications:
 - Type: Rotating Carousel, Vial volume: 2mL carousel, Minimum Capacity: 22 (18 samples + 4 waste), Solvent: 30 mL (Top washing) A + B solvents (washing from vial), Syringe: 10µL, volume range of 0.01 to 10 µL up to 250µL for extended model, minimum injection time:0.1 sec, Repeatability RSD 0.3 % (area, C10-C16 in octane sample mix)

Column specification

- Capillary column for FID detector-1 nos.
- Chiral column for organic samples (versatile) for FID detector- **2 nos.** (Specifications of Cyclodex-B **1 No**, Cyclocil B or Chiraldex **1 No**.)
- One set of calibration standards should be supplied for normal and chiral organic sample.

Control Software

The GC should be supplied with complete software for data acquisition and control through PC having the following features.

- Easy to use and powerful for routine as well as research experiments. The software should provide customizable work spaces.
- Run Gas chromatographs (control the software and set all device parameters), as well as other chromatographic equipment such as Data acquisition block, Gas flow maker etc.
- Sequence based data storage and retrieve functions
- Should automate the analysis series with flexible settings of time and running conditions for each analysis with automatic processing and delivery of results, both with and without operator involvement
- Provide extensive capabilities for analysis of large amounts of high-precision data with a navigation toolbar for easy access to chromatographic data
- Should have consistent and secure storage of data, methods, sequence and perform automated acquisition and storage of various diagnostic data etc.
- Should be possible to lock the peak positions, integrate the peaks in manual or automatic mode

	<ul style="list-style-type: none"> • Should have custom analysis reporting tool; • Should be capable to carry out identification and quantitative analysis of unlimited sample components; • Should conduct the multi-point calibration with an unlimited number of levels; • Should carry out data quantitative analysis in several ways depending on particular analysis method requirements; • Should process chromatograms with particular peaks without waiting for analysis to finish; • Should convert chromatographic data into various file formats with a view to use this data in other programs; • Should keep a log of operator actions in the processing program • The control software should be latest in all aspects and compatible with latest Windows 7/10 • Supplier should quote for compatible PC provided with suitable interface like Ethernet or USB <p>Up-gradation: The instrument should be upgradable with modules like Mass Spectrophotometer (MS) in future and other possible additional detectors like TCD, FPD for research activities.</p> <p>Essential GC accessories</p> <p>Vendor should supply the following accessories</p> <ul style="list-style-type: none"> • Compatible PC (1 no.) with latest window (7/10), with Monitor of 22" and black & white printer (Laser): 1 no. • 10 KVA UPS with minimum 30 min back up (1 no.) (make Microtek International/Luminous Power Technologies/Exide Technologies) • Cylinders (for H₂ with 99.999% purity, for N₂ with 99.999% purity 2 No.s, Zero Air 99.999% purity 2 No.s). • Double stage regulators for Hydrogen, Nitrogen and Air 1 no. for each (total 3 no.s) • Gas purification panel including pipe tubing and with proper fitting. • Air conditioning system (1 ton capacity) 1 No. (make Voltas/Hitachi/Blue Star) <p>Installation kit</p> <p>List the contents of the installation kit including detector fittings, the spares, vials, septa, ferrules, leak detection fluid, micro syringes (2 no.s), Gas filters etc.</p> <p>Quote separately for spares required for three years smooth and trouble free operation</p> <p>Warranty : 3 year</p>	
<p>2.</p>	<p>Nitrogen Gas Generator</p> <p>Make : PCI/Analytics/Clain d/Peak Scientific/ Gaztron/PSA</p> <ul style="list-style-type: none"> • Air Dryer timer based operation with high efficiency desiccant adsorbed which removes moisture up to PPM level. • Molecular sieve technology dedicated to offer UHP • Built-in compressor oil free • Microcontroller Digital display • Capacity N₂ Gas :- 200ml/min at 5 kg/cm² capacity • N₂ purifier to remove O₂ & produce N₂ up to UHP Grade • Other unwanted impurities should be removed • Suitable external Reservoir Tank 725L :7 bar • Oil free Air Compressor (Bare) • LED digital display for flow rate • Standard fittings with Hardware and Installation. <p>Warranty : 3 years</p>	<p>01 No.</p>

[B] Eligibility Criteria

- i) The Bidder should be OEM or authorized representative / supplier of the OEM. In case of authorized representative/supplier, the authorization letter from the OEM is essential.
- ii) The Bidder should be able to supply / manufacture the good/s of the most recent series models incorporating the latest developments and meeting technical specifications given in this tender.
- iii) The Bidder must have supplied & satisfactorily installed / commissioned the similar Good/s as specified in "QFA/Bill of Material" in the preceding 3 years (2015-16, 2016-17, 2017-18)) period. Please attach necessary documents in support of above.
- iv) The Bidder shall furnish brief write-up, backed with adequate data, explaining firm's present capacity and experience (both technical and commercial) for the manufacture and supply of the required Good/s within the period specified for time of completion after meeting all their current commitments.
- v) The bidder shall clearly confirm the manufacturing unit / factory information and their in-house testing facilities and same will be available for the inspection.

FORM 1

Check List for TECHNICAL / QUALIFYING BID

Tender for **GAS CHROMATOGRAPH & NITROGEN GAS GENERATOR**

Department: **CHEMISTRY**

Ref No. & Date: **VNIT/STR/LT/CH/SH/SSU/198 Dt.22.02.2019**

Following is the check list of requirements for item/good tendered. Vendor / Bidder should clearly mention YES/NO in the remarks column. All enclosures shall be arranged in the following order only.

Sr. No.	Requirement	Details of Certification Enclosed Mention – “YES/NO”	Page No. (in Ascending Order)
1.	EMD of ₹ 37,500=00		
2.	Authorization Letter from the Original Equipment /Goods Manufacturer (Form 2)		
3.	Goods Technical Specification, Product Catalogue/ Information Brochure		
4.	Brief Profile of Firm/ Company		
5.	PAN		
6.	GST Registration Certificate		
7.	Certificate of Incorporations and/or Firm Registration Certificate		
8.	Copy of ISO/ Equivalent certification		
9.	Guarantee/ warranty : _____ yrs		
10.	Service Support Details (Form 3) Name of official, Address & Contact Nos.(Mob)		
11.	Client list		
12.	Statement of Annual Turnover/ Balance of last 3 financial years(2015-16 onwards)		
13.	Performance Statement (Form 4) Copies of Orders (duly certified of preceding 3 financial years from 2015-16 onwards.		
14.	Capability Statement (Form 5)		

FORM 2

MANUFACTURERS (OEM) AUTHORIZATION LETTER

REF No.

Date :

To

Dear Sir,

We who are established and reputable manufacturers of *(Name and description of goods offered)* having factories at *(address of factory do hereby authorize M/s (Name and address of Agent)* to submit a bid, and sign the contract with you for the goods manufactured by us against the above IFB No. VNIT/STR/. We hereby extend our full guarantee and warranty of 3 years for the goods and services offered for supply by the above firm against this IFB.

Yours truly,

(Name with Stamp/Seal of Competent Authority)

Note: This letter of authority should be on the letterhead of the manufacturer and should be signed by a person competent and having the power of attorney to legally bind the manufacturer. It should be included by the Bidder in its bid.

FORM 3

SERVICE SUPPORT DETAILS

LOCATION OF NEAREST SERVICE CENTER:-

Phone No.	Fax / Telex No.	Status of Office working Days & Hours	Number of Engineers	Value of Min. Stock Available at all times	List of Models & Types of Equipment under Service during last 2 years	Name of the Organization where the equipment are currently under AMC/ Service

FORM 4

PERFORMANCE STATEMENT

(From 2015-16 onwards)

Name of the Firm _____

Order placed by (Complete Address of Purchaser)	Purchase Order No. & Date	Description and Quantity of ordered equipment	Value of order	Date of completion of delivery		Remarks indicating Reasons for late delivery, if any	Has the equipment been satisfactorily Functioning (Attach a certificate from the Purchaser /Consignee)
				As per Contract	Actual date of supply		
1	2	3	4	5	6	7	8

FORM 5

CAPABILITY STATEMENT (CS)

1. Name & Address of the Bidder:

2. Phone:

3. Classification

- (1) Manufacturer: Y/N
- (2) Authorized Agent: Y/N
- (3) Dealer: Y/N
- (4) Other (Please specify)

4. Plant:

Location:

Description, Type & size of building:

Is property on lease or free hold? If on lease, indicate date of expiry of lease in such case:

5. Type of equipment(s) manufactured and supplied during last 2 years.

Name of Equipment	Capacity/Size	Quantity Manufactured	Nos. of Purchase Orders on hand

6. Types of Equipment(s) supplied during last 2 years other than those covered under 5 above.

Name of Equipment	Capacity / Size & Model	Name of Manufacturer & Country of origin	Total Nos. of Equipment(s) Supplied in India	No. of orders on hand

7. Turnover for similar equipments sold in last two years:

8. Details of Testing facilities available :

- i) List of testing equipment available.
- ii) Give details of type tests, which can be carried out using testing equipment.
- iii) Details of the staff available for testing.

9. Personnel/Organization: Give Organization chart for following indicating clearly the No. of employees at various levels.

Quality assurance	
Production	
Marketing	
Service	
Spare parts	
Administrative	

10. Nearest Service Centres to each of the destination of installations:

Location	
Phone No.	
Year of Establishment	

11. Details of Organization (Enclose details of Organization Chart & Span of Control)at Service Centre:

No. of skilled employees	
No. of Unskilled employees	
No. of Engineering employees	
No. of Administrative employees	
List of special repair/workshop Facilities available (Specify Details of Equipments And Test(s) those which are performed)	
The storage space available for spare parts (Sq.m)	
Value of minimum stock of spares available at all the service centre in Respective currency	
Value of the models/types by number of equipment serviced by the centre in the last two years	

12. Enclose details of services provided duly authenticated by certification from the user in each case

13. Names of two buyers to whom similar equipment was supplied in the past and to whom reference may be made by the Purchaser regarding the bidder's technical and delivery ability.

Buyer 1; Address & Contact No

Buyer 2; Address & Contact No

**PRICE/
COMMERCIAL BID**

PRICE / COMMERCIAL BID

TENDER NO. VNIT/STR/LT/SH/SSU/198 Date: 22.02.2019

S.N	Name of Item & Specifications	Qty.
3.	<p>GAS CHROMATOGRAPH WITH DUAL INJECTOR AND DUAL FID DETECTORS</p> <p>Make:Agilent Technologies/Thermo Fisher Scientific/Chromatec/Shimadzu</p> <p>Type: Microprocessor based advanced flow technology and high speed Gas Chromatography system with FID detectors, having high sensitivity with minimum two injection ports, dual FID detectors and facility for auto injector, and sample tray having electronic pneumatic controllers with headspace sampling of the following specifications. It should have capability to further extend the applications scope allowing multidimensional GC, capillary back flush, and other specialized flow applications. System must have facility to load cooling method by pushing on/off switch to avoid instrument change.</p> <p>Column Oven</p> <ul style="list-style-type: none"> • Capable of isothermal and temperature programming • Oven temperature control from ambient to 450 °C; temperature accuracy of 0.01 °C • Set point Resolution 0.1 °C, Very fast cool down time from 450°C to ambient, preferably less than 6 min., ambient rejection of < 0.01°C/°C; • Number of oven ramps: more than 15; • Negative ramps should be allowed; • Maximum run time, events time: Unlimited • 'Rest time' for column oven should be available; • Possible to control from the built-in keyboard and via and external computer based control system as well with customized display unit <p>Oven Power Safety</p> <ul style="list-style-type: none"> • Automatic oven power turn off when the lid/door is opened • Automatic carrier gas shut off <p>Split/Split less inlet(SSI)</p> <ul style="list-style-type: none"> • Operating modes: split, splitless • Temp max~450 °C, should have electronic pressure control, Gas saver mode, inlet leak check <p>Electronic Pneumatic Control (EPC)</p> <ul style="list-style-type: none"> • Compensation for barometric pressure & ambient temperature • Pressure set points should be adjustable in increments of 0.001psi. • Pressure or flow ramps: 3 or more • Carrier and makeup gas settings selectable for He, H₂, N₂ and Argon • Safety feature of automatic gas shutoff when the flame goes <p>Sample Injection ports – minimum 2</p> <ul style="list-style-type: none"> • Electronically controlled EPC Split/splitless capillary column injection • Temperature range- up to 400 °C • Pressure Range: 0 to 680 kPa (100 psi) • Pressure programming facility • Constant flow, constant pressure and constant velocity facility • Number of pressure or flow ramps: 3 or more • Split ratio range: 0 to 7500 or more • Maximum flow Rate: 0 – 1250mL/min for H₂ & 0 – 200mL/min for N₂ • Built in turn top inlet sealing system for quick and easy injector liner change 	01 No.

Flame Ionization Detector (FID) – 2 nos.

- Temperature range: Upto 450 °C.
- Linear Dynamic range: > 10⁷
- Minimum Detection Limit : < 2 pgC/s (std like Dodecane, Tridecane)
- Quartz FID nozzle
- Flameout detection & automatic flame ignition/reignition..
- Data acquisition rate should be up to 500Hz to accommodate narrow peaks

Catalytic Carrier Purifier with heating control (optional)

- Operating temperature 400 deg °C

Auto injector and Sampler

- Software controlled auto liquid injector with sampler for minimum 16-18 vials (sample)
- Simple design and simple installation on GC inlet
- 2 syringe washing modes, 4 injection modes and other parameters for flexible operating mode to optimize workflow
- Should have top washing mode for elongated lifetime of 10 µL syringe especially for “hard” samples
- Should have Intuitive interface and voluntary setting capabilities which allow developing flexible sequences in vials order and operating conditions.
- Should have the following specifications:
 - Type: Rotating Carousel, Vial volume: 2mL carousel, Minimum Capacity: 22 (18 samples + 4 waste), Solvent: 30 mL (Top washing) A + B solvents (washing from vial), Syringe: 10µL, volume range of 0.01 to 10 µL up to 250µL for extended model, minimum injection time:0.1 sec, Repeatability RSD 0.3 % (area, C10-C16 in octane sample mix)

Column specification

- Capillary column for FID detector-1 nos.
- Chiral column for organic samples (versatile) for FID detector- **2 nos.** (Specifications of Cyclodex-B **1 No.**, Cyclocil B or Chiraldex **1 No.**)
- One set of calibration standards should be supplied for normal and chiral organic sample.

Control Software

The GC should be supplied with complete software for data acquisition and control through PC having the following features.

- Easy to use and powerful for routine as well as research experiments. The software should provide customizable work spaces.
- Run Gas chromatographs (control the software and set all device parameters), as well as other chromatographic equipment such as Data acquisition block, Gas flow maker etc.
- Sequence based data storage and retrieve functions
- Should automate the analysis series with flexible settings of time and running conditions for each analysis with automatic processing and delivery of results, both with and without operator involvement
- Provide extensive capabilities for analysis of large amounts of high-precision data with a navigation toolbar for easy access to chromatographic data
- Should have consistent and secure storage of data, methods, sequence and perform automated acquisition and storage of various diagnostic data etc.
- Should be possible to lock the peak positions, integrate the peaks in manual or automatic mode
- Should have custom analysis reporting tool;
- Should be capable to carry out identification and quantitative analysis of unlimited sample components;
- Should conduct the multi-point calibration with an unlimited number of levels;

	<ul style="list-style-type: none"> • Should carry out data quantitative analysis in several ways depending on particular analysis method requirements; • Should process chromatograms with particular peaks without waiting for analysis to finish; • Should convert chromatographic data into various file formats with a view to use this data in other programs; • Should keep a log of operator actions in the processing program • The control software should be latest in all aspects and compatible with latest Windows 7/10 • Supplier should quote for compatible PC provided with suitable interface like Ethernet or USB <p>Up-gradation: The instrument should be upgradable with modules like Mass Spectrophotometer (MS) in future and other possible additional detectors like TCD, FPD for research activities.</p> <p>Essential GC accessories</p> <p>Vendor should supply the following accessories</p> <ul style="list-style-type: none"> • Compatible PC (1 no.) with latest window (7/10), with Monitor of 22" and black & white printer (Laser): 1 no. • 10 KVA UPS with minimum 30 min back up (1 no.) (make Microtek International/Luminous Power Technologies/Exide Technologies) • Cylinders (for H₂ with 99.999% purity, for N₂ with 99.999% purity 2 No.s, Zero Air 99.999% purity 2 No.s). • Double stage regulators for Hydrogen, Nitrogen and Air 1 no. for each (total 3 no.s) • Gas purification panel including pipe tubing and with proper fitting. • Air conditioning system (1 ton capacity) 1 No. (make Voltas/Hitachi/Blue Star) <p>Installation kit</p> <p>List the contents of the installation kit including detector fittings, the spares, vials, septa, ferrules, leak detection fluid, micro syringes (2 no.s), Gas filters etc.</p> <p>Quote separately for spares required for three years smooth and trouble free operation</p> <p>Warranty : 3 year</p>	
<p>4.</p>	<p>Nitrogen Gas Generator</p> <p>Make : PCI/Analytics/Clain d/Peak Scientific/ Gaztron/PSA</p> <ul style="list-style-type: none"> • Air Dryer timer based operation with high efficiency desiccant adsorbed which removes moisture up to PPM level. • Molecular sieve technology dedicated to offer UHP • Built-in compressor oil free • Microcontroller Digital display • Capacity N₂ Gas :- 200ml/min at 5 kg/cm² capacity • N₂ purifier to remove O₂ & produce N₂ up to UHP Grade • Other unwanted impurities should be removed • Suitable external Reservoir Tank 725L :7 bar • Oil free Air Compressor (Bare) • LED digital display for flow rate • Standard fittings with Hardware and Installation. <p>Warranty : 3 year</p>	<p>01 No.</p>
	<p>Basic Cost</p>	

	Educational Discount	
	Total Cost F.O.R. V.N.I.T. Nagpur/ Nagpur Airport	

- **[Note - The bidder should offer / quote special educational discount for the Institute.]**

[A] DUTIES & TAXES (if applicable):

- | | | | |
|----|---|---|------------------|
| 1. | Custom Duty if any | : | Rs. _____ |
| 2. | Freight/ Transportation | : | Rs. _____ |
| 3. | Insurance @ _____% | : | Rs. _____ |
| 4. | Packing & Forwarding | : | Rs. _____ |
| 5. | Others, (if any) | : | Rs. _____ |
| 6. | Final Offer (Including Installation Charges & Taxes) FOR VNIT Nagpur/ Nagpur Airport | : | Rs. _____ |

[B] Others Details (Enclosed)

- | | | | |
|-----|--|---|------------|
| 1. | EMD No. & Amount : No.:_____ Dt.____/____/2019, Rs. 37,500/- | | |
| 2. | NSIC or MSME or SSI | : | _____ |
| 3. | Specification as per Requirements | : | Yes / No |
| 4. | Warranty/Guarantee | : | _____Years |
| 5. | Delivery period | : | _____ |
| 6. | Firms Registration Certificate | : | Yes / No |
| 7. | Authorization Certificate | : | Yes / No |
| 8. | Details of client lists | : | Yes / No |
| 9. | GST Registration Certificate | : | Yes / No |
| 10. | PAN / GST No. | : | Yes / No |
| 11. | Others, (if any) | : | _____ |

Note: Price/Commercial Bid & other details should be furnished as per Institute's prescribed format if failed, the Price / Commercial Bid is treated as unresponsive and will be disqualified.

The Firm/Company agrees to supply the above items for **final offer price (Rs. _____/- [In Words Rs.....) inclusive of duties & taxes at [A] above within the period specified in the Invitation for Quotations. We also confirm that the normal commercial warrantee /guarantee of 36 months shall apply to the offered goods.**

FORM 6

FORMAT OF QUOTATION / BILL OF MATERIAL

Sr. No.	Description of Goods	Specifications	Qty.	Unit	Quoted Unit Rate in Rs. /	Total Amount	
						In Figures	In Words
	Please refer enclosed "QFA/Bill of Material" for complete details.	As per "QFA/Bill of Material"					
						GST % GST Amt.	

Gross Total Cost: Rs.

We agree to supply the above Goods/Equipment/Software in accordance with the technical specifications for a total contract price of (In figure) (In word Rs) within the period specified in the Invitation for Quotations. We also confirm that the normal commercial warrantee /guarantee of **36 months** shall apply to the offered goods.

FORM 7

PRICE SCHEDULE

1	2	3	4	5					6	7	8
Schedule No	Item Description	Country of Origin	Quantity & Unit	Price for each unit					Unit Price	Total Price	GST (%) & Amount payable
				Ex-factory, Ex-ware House, Ex-Show Room, Off the shelf	Custom Duty, as per actual	Packing & Freight	Inland transportation insurance and other local Costs Incidental to delivery	Incidental services			(To be mentioned clearly as Extra)
				(a)	(b)	(c)	(d)	(e)	a+b+c+d+e	4 x 6	

Note: In case of discrepancy in unit price and total price, the unit price shall prevail.

Total Bid Price in figure _____

In word _____

Signature of Bidder _____

Name _____

Business Address _____

Place: